

### Certificate of Analysis

**Product: Urea Pellets 99%**  
**Item Number: C8461**  
**Grade: USP**  
**Lot Number: RN2208**  
**Manufacture Date: 08/01/2022**  
**Expiration Date: 07/31/2024**  
**Country of Origin: United States**

Tested Property	Specification	Analysis
Assay	99.0 - 100.5%	99.4
Description	White Prills/Crystals	Passes
Melting Range	132 - 135°C	Passes
pH of a 5% solution	6.5-9.2	7.14
Residue Upon Ignition	≤0.1%	0.01
Alcohol Insoluble Substances	≤0.04%	<0.01
Sulfate (SO <sub>4</sub> )	≤0.01%	0.001
Heavy Metals (as Pb)	<0.002%	0.001
Chloride (Cl)	≤0.007%	0.0005
Iron (Fe)	As Reported	0.001%

#### [Urea Pellets 99%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley