



### Certificate of Analysis

**Product: Calcium Chloride, Anhydrous, Pellets**  
**Item Number: CACHLAPF**  
**Grade: FCC**  
**Lot Number: 364JK204B**  
**Manufacture Date: 02/02/2022**  
**Expiration Date: 02/01/2025**  
**Country of Origin: United States**

Tested Property	Specification	Analysis
Calcium Chloride	Min 93.0 %	93.8%
Fluoride	Max 0.004%	<0.001%
Lead	Max 5.0 mg/kg	<5.0 mg/kg
Magnesium and Alkali Salts	Max 5.0 %	3.4%
Acid Insoluble Matter	Max 0.02%	<0.01%
Acid Insoluble Particle Size	Passes the test	Pass
Arsenic	Max 3.0 mg/kg	<3.0 mg/kg
Passing US Std #4 Sieve	Min 98%	100%
Passing US Std #3 Sieve	Max 5%	1%

#### [Calcium Chloride, Anhydrous, Pellets](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley