

Certificate of Analysis

Product: Dextrose, Anhydrous
Item Number: DXAGU
Grade: USP
Lot Number: 1061099300
Manufacture Date: 04/09/2021
Expiration Date: 04/08/2024
Country of Origin: United States

Tested Property	Specification	Analysis
Assay	Min 99.5%	99.7%
Water	Max 1.0%	0.03%
Identification A	To Pass Test	Pass
Identification B	To Pass Test	Pass
Maltose & Isomaltose	Max 0.4%	0.1
Maltotriose	Max 0.2%	0.0
Fructose	Max 0.15%	0.0
Unspecified related substances	Max 0.1%	0.02%
Total impurities	Max 0.5%	0.2%
Color & Clarity of solution	To Pass Test	Pass
Conductivity	Max 20 uS/cm	1.1
Soluble starch sulfite	To Pass Test	Pass
Dextrin	To Pass Test	Pass

[Dextrose, Anhydrous](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley