

Certificate of Analysis

Product: Butylated Hydroxytoluene (BHT) Item Number: C1859 Grade: FCC Lot Number: 240214-M Manufacture Date: 12/02/2023 Expiration Date: 12/01/2026 Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Off White Crystals	Conforms
Identification	To Pass Test	Passes
Solidification point	≥69.2°C	69.34
Assay	≥99.0%	99.52%
Moisture	≤0.1%	0.07%
Residue after ignition	≤0.002%	0.002%
Sulfate	≤0.002%	0.0018%
Lead	≤0.0002%	0.00009%
Arsenic	≤0.0001%	0.0001%
Free Phenol	≤0.02%	0.019%
Color	≤50 APHA	45

Butylated Hydroxytoluene (BHT)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008, E-mail: Customerservice@laballey.com, <u>www.laballey.com,</u> <u>12501 Pauls Valley Road, Suite A, Austin, Texas 78737,</u> © copyright: 2023 Lab Alley