

Certificate of Analysis

Product: Trichloroethylene >99.5%

Item Number: TCEL

Grade: Lab

Lot Number: 5000528/1.2

Manufacture Date: 09/11/2023

Expiration Date: 09/10/2025

Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Transparent liquid/no visible impurity	Pass
Color, Pt-Co/Hazen	≤15	5
Density at 20°C	1.460 - 1.470 g/cm ³	1.464
Assay	≥99.30%	99.75
Acidity (HCl)	≤0.001%	Pass
Alkalinity (NaOH)	≤0.0101%	0.00023
Water	≤80ppm	28
Evaporation residue	≤0.005%	0.0005
Free Chlorine	Pass	Pass
Acidity after oxidation (HCl)	≤0.01%	0.01

Trichloroethylene >99.5%

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley