

### Certificate of Analysis

**Product: Ethanol 190 Proof (95%) Non-Denatured, Pure Alcohol**

**Item Number: EAPHPLC190**

**Grade: HPLC**

**Lot Number: 5000570/2.2**

**Manufacture Date: 03/18/2024**

**Expiration Date: 03/17/2027**

**Country of Origin: United States**

Tested Property	Specification	Analysis
Assay by GC (Corrected for water)	Min 95.0%	95.01%
Color APHA	Max 10	0
Solubility in water	Passes test	Pass
Residue after evaporation	Max 0.001%	0.001
Acetone, Isopropyl alcohol	Passes test	Pass
Titration acid	Max 0.0005 meq/g	0.0001
Titration base	Max 0.0002 meq/g	0.0001
Methanol	Max 0.1%	<0.1
Substance darkened by sulfuric acid	Passes test	Pass
Substance reducing permanganate	Passes test	Pass
UV Absorbance	Max 0.01AU @ 270-400 nm	0.00
	Max 0.05 AU @ 240 nm	0.04
	Max 0.15 AU @ 230 nm	0.09
	Max 0.25 AU @ 220 nm	0.17
	Max 0.40 AU @ 210 nm	0.33
Specific gravity	Min 0.7962 @ 15.56°C	0.7937

[Ethanol 190 Proof \(95%\) Non-Denatured, Pure Alcohol](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com),  
[www.laballey.com](http://www.laballey.com).

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley

assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com),  
[www.laballey.com](http://www.laballey.com).

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley