

Certificate of Analysis

Product: Ethyl Ether >99% ACS Grade

Item Number: EELA

Grade: ACS

Lot Number: 5000739/1.1

Manufacture Date: 07/01/2024

Expiration Date: 06/30/2026

Country of Origin: United States

| Tested Property | Specification | Analysis |
|---|---------------------|-------------|
| Assay (by GC-FID) | $\geq 99.0\%$ | 99.97 |
| Carbonyl compounds (as Formaldehyde) | $\leq 0.001\%$ | $< 0.001\%$ |
| Color APHA | ≤ 10 | 5 |
| Peroxides (as H ₂ O ₂ at time of packaging) | ≤ 1.0 ppm | < 1.0 |
| Stabilizer, BHT | 5 -10 ppm | 6 |
| Titration Acid | ≤ 0.0002 meq/g | < 0.00002 |
| Water | $\leq 0.03\%$ | 0.006 |

[Ethyl Ether >99% ACS Grade](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley