

Certificate of Analysis

Product: n-Propanol 99%
Item Number: NPALCL
Grade: Lab
Lot Number: 5000776/1.1
Manufacture Date: 06/25/2024
Expiration Date: 06/24/2027
Country of Origin: United States

Tested Property	Specification	Analysis
Purity by GC	Min 99.8 wt%	99.96%
Specific Gravity @20°C	0.8040 - 0.8060	0.8050
Water	Max 0.1 wt%	<0.016
Acidity as acetic acid	Max 0.003 wt%	0.00
Color Pt-Co	Max 5	2
Appearance	Pass the test	Pass
Alkalinity as Ammonia	Max 0.001 wt%	0.000
Isopropanol	Max 0.020 wt%	0.000
Propionaldehyde	Max 50 ppm	19

[n-Propanol 99%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley