

Certificate of Analysis

Product: Ethanol 140 Proof (70%) Denatured Alcohol

Item Number: EAD140

Grade: Reagent

Lot Number: 5000772/1.1

Manufacture Date: 07/19/2024

Expiration Date: 07/18/2026

Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear liquid	Pass
Color	Colorless, Max 10	Pass
Odor	Characteristic of product	Pass
Specific Gravity @ 60Å°F	0.8807 - 0.8831	0.8820
Apparent proof	146.0 - 147.0	146.9
Assay, % Ethanol 140 proof	89.5 - 91.5%	89.5%
Methanol	4.0 - 5.0%	5.0%
Isopropanol	4.5 -5.5%	5.5%

[Ethanol 140 Proof \(70%\) Denatured Alcohol](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley