

Certificate of Analysis

Product: n-Butanol Item Number: NBTALCA

Grade: ACS

Lot Number: 5000725/1.1 Manufacture Date: 06/13/2024 Expiration Date: 06/11/2026 Country of Origin: France

Tested Property	Specification	Analysis
Appearance	Clear, colorless liquid	Pass
Color, APHA	Max.10	10
Water	Max. 0.100 wt%	0.060%
Specific Gravity @ 25°C	0.807 - 0.809	0.809
Acidity as Acetic Acid	Max. 0.005 wt%	0.0020
Carbonyl compounds as butyraldehyde	Max. 0.01 wt%	Pass
Residue after Evaporation	Max. 0.005%	Pass
n-Butanol	Min 99.4 wt%	99.92
Di-n-butyl Ether	Max 0.2 wt%	<0.2
Non-volatile matter	Max 0.0050 wt%	0.0010
Titrable acid	Max 0.0008 meq/g	Pass
Distillation Range	including 117.7°C max 1.5°C	Pass
Refractive index at 25°C	1.39750 - 1.399950	1.39940
Aldehyde	Pass the test	Pass

n-Butanol

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for

Phone: 512-668-9918, Fax: 512-886-4008, E-mail: Customerservice@laballey.com, www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737, © copyright: 2023 Lab Alley



particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008, E-mail: Customerservice@laballey.com, www.laballey.com,