



Certificate of Analysis

Product: Potassium Permanganate 0.042 N Solution

Item Number: C6565

Grade: Reagent

Lot Number: 240919-A

Manufacture Date: 09/19/2024

Expiration Date: 03/18/2026

Country of Origin: United States

Tested Property	Specification	Analysis
Assay Potassium Permanganate	0.0420±0.0001 Normal	Pass
Appearance	Purple liquid	Conforms

Water CAS#7732-18-5 Meets ACS/ASTM/USP/EP

Potassium Permanganate CAS#7722-64-7 Meets ACS

[Potassium Permanganate 0.042 N Solution](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,

E-mail: Customerservice@laballey.com,

www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley