

Certificate of Analysis

Product: Phosphoric Acid 85%
Item Number: PHAF85
Grade: FCC
Lot Number: 191120012
Manufacture Date: 11/19/2021
Expiration Date: 11/18/2024
Country of Origin: United States

Tested Property	Specification	Analysis
Assay as H ₃ PO ₄ , %	85.0 min.	85.2
Appearance	Transparent, colorless, sticky liquid	Pass
Identification	To Pass Test	Pass
Arsenic As, ppm	3 max.	<0.2
Fluoride, ppm	10 max	<5
Heavy Metals, as Pb, ppm	5 max	<3
Lead, ppm	2 max	<2
Cadmium, as Cd, ppm	3 max	<3
Specific Gravity 20/20 degree C	1.685 - 1.695	1.689
Chloride, as Cl, %	0.0005 max.	<0.0001
Iron, Fe, ppm	20 max	<5
Color, APHA	20 max	<10
Sulfate, as SO ₄ , ppm	120 max	<30

Phosphoric Acid 85%

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.
© copyright: 2023 Lab Alley