

Certificate of Analysis

Product: Ferroxyl Indicator
Item Number: C3904
Grade: Lab
Lot Number: 230406-A
Manufacture Date: 04/06/2023
Expiration Date: 04/05/2025
Country of Origin: United States

| Tested Property | Specification | Analysis |
|---------------------------------------|---------------|------------------------------|
| Description | As reported | Clear Greenish Yellow Liquid |
| Assay: Potassium Ferricyanide 25g dry | As reported | 99.5% |
| Assay Sodium Chloride 15g dry | As reported | 99.6% |
| Deionized Water Type II D1193 ASTM | As reported | Passes |

Ferroxyl Indicator

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley