

Certificate of Analysis

Product: Acetone
Item Number: ACEL
Grade: Lab
Lot Number: 296754
Manufacture Date: 01/12/2023
Expiration Date: 01/11/2025
Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear Liquid	Clear Liquid
Color, APHA, Pt-Co	Colorless, 5 max	≤ 5
Odor	Characteristic, nonresidual	Characteristic
Sediment/particulate	None	None
Refractive Index at 20°C	1.3580 - 1.3595	1.3590
Water, wt%	0.50 max	0.25
Water Dilution	Clear at all %, no haze	Clear at all %
Specific gravity @ 20°C	0.791 - 0.793	0.792
Acidity, wt%	≤ 0.0020	0.0015
Permanganate Time, min	≥ 30	> 120
Non-volatile matter, g/100ml	≤ 0.0010	0.0001
Purity, wt%	≥ 99.50	99.63

Acetone

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley