

Certificate of Analysis

Product: n-Hexane 95%
Item Number: HXHP
Grade: ACS, High Purity
Lot Number: 230404-B045589
Manufacture Date: 03/30/2023
Expiration Date: 03/28/2028
Country of Origin: United States

Tested Property	Specification	Analysis
Identification by IR	Conforms to Spectra	Pass
Appearance	Clear, Colorless Liquid	Pass
Assay (as Total C6 Isomers)	Min 99.5%	99.92
Assay (n-Hexane)	Min 95%	98.84
Color (APHA)	10 Max.	1
Residue after evaporation	Max 0.001%	0.000
Sulfur Compounds (as S)	Max 0.005%	0.000
Thiophene	To pass test	Passes
Water Soluable Titrable Acid	Max 0.0003 meq/g	< 0.0003
Water	0.02%	0.01

n-Hexane 95%

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.