

Certificate of Analysis

Product: Propylene Glycol 99.5%

Item Number: PGF
Grade: USP/NF/FCC
Lot Number: 0003883314
Manufacture Date: 06/20/2022
Expiration Date: 06/19/2024
Country of Origin: United States

Tested Property	Specification	Analysis
Visual	Clear/Clean free of suspended particles	Pass
Odor	Odorless	Pass
Color	Colorless	Pass
Water Content	Max 0.2%	0.053
Specific Gravity @ 25Ã,°C	1.035 - 1.037	1.0355
Refractive Index	1.4310 - 1.4330	1.4316
Identification A (IR)	Identified as Propylene Glycol	Pass
Identification B (Limit % Deg)	Max 0.1	Pass
Identification B (Limit % EG)	Max 0.1	Pass
Identification C	Retention is equal for sample standard	Pass
Visual	Clear/Clean free of suspended particles	Pass
Odor	Odorless	Pass
Color	Colorless	Pass
Water Content	Max 0.2%	0.053
Specific Gravity @ 25°C	1.035 - 1.037	1.0355
Refractive Index	1.4310 - 1.4330	1.4316
Identification A (IR)	Identified as Propylene Glycol	Pass
Identification B (Limit % Deg)	Max 0.1	Pass
Identification B (Limit % EG)	Max 0.1	Pass
Identification C	Retention is equal for sample standard	Pass

Phone: 512-668-9918, Fax: 512-886-4008, E-mail: Customerservice@laballey.com, www.laballey.com,



Propylene Glycol 99.5%

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008, E-mail: Customerservice@laballey.com, www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737, © copyright: 2023 Lab Alley