

Certificate of Analysis

Product: Hydrochloric Acid 31%
Item Number: HCLL31
Grade: Lab
Lot Number: 5000191/1.1
Manufacture Date: 03/15/2023
Expiration Date: 03/14/2025
Country of Origin: United States

Tested Property	Specification	Analysis
Hydrochloric Acid	31.50 - 32.90 %	32.02
Specific Gravity @ 60Å,Å°F	Min 1.1602	1.3521
Baume, Å,Å°	Min 20.00	37.76
Color (APHA)	0 - 20	4
Appearance	Clear	Pass
Iron	Max 3.0 ppm	1.7
Hydrochloric Acid	31.50 - 32.90 %	32.02
Specific Gravity @ 60°F	Min 1.1602	1.3521
Baume, °	Min 20.00	37.76
Color (APHA)	0 - 20	10
Appearance	Clear to slightly yellowish	Pass
Iron	Max 3.0 ppm	1.7

[Hydrochloric Acid 31%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley