

Certificate of Analysis

Product: Hydrogen Peroxide Thirty Five Percent Food Grade (Diluted to 34%)

Item Number: HPF34

Grade: FCC

Lot Number: 5000200/3.1

Manufacture Date: 07/13/2023

Expiration Date: 07/12/2024

Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear, Water White	Passes the test
Hydrogen Peroxide, Wt%	32.9 - 34.9	34.24
Specific gravity @ 60°F	1.1255 - 1.1405	1.1310

[Hydrogen Peroxide Thirty Five Percent Food Grade \(Diluted to 34%\)](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley