

## Certificate of Analysis

**Product: Acetic Acid Glacial 99%**

**Item Number: AAF99**

**Grade: FCC**

**Lot Number: 211207-B009201**

**Manufacture Date: 10/04/2021**

**Expiration Date: 10/03/2026**

**Country of Origin: United States**

Tested Property	Specification	Analysis
Assay (C2H4O2)	99.5 - 100.5 Wt. %	Pass
Lead	To pass the test	Pass
Readily Oxidizable Substances	To pass the test	Pass
Solidification Point	NLT 15.6Å,Å°C	Pass

### Acetic Acid Glacial 99%

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com),  
[www.laballey.com](http://www.laballey.com).

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley