

Certificate of Analysis

Product: Potassium Chloride
Item Number: POCHLGU
Grade: USP/FCC
Lot Number: 5000246/1.1
Manufacture Date: 07/21/2023
Expiration Date: 07/20/2026
Country of Origin: United States

Tested Property	Specification	Analysis
Assay	99.0 - 100.5%	100.0%
Appearance of Solution	To Pass Test	Pass
Acidity/Alkalinity	To Pass Test	Pass
Bromide	≤1000 mg/kg	Pass
Sulfate	≤300 mg/kg	20 mg/kg
Aluminum	≤1.0 mg/kg	<0.1 mg/kg
Iron	≤20.0 mg/kg	<0.1 mg/kg
Calcium and Magnesium	≤200 mg/kg	Pass
Sodium	≤1000 mg/kg	80 mg/kg
Loss on Drying	≤1.0%	Pass
Identity Reaction	To Pass Test	Pass
Iodide	≤50.0 mg/kg	<3 mg/kg
Barium	To Pass Test	Pass
Lead	≤0.5 mg/kg	<0.5 mg/kg
Thallium	≤0.8 mg/kg	Pass

Potassium Chloride

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley

beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley