

Certificate of Analysis

Product: Isopropyl Alcohol (IPA)

Item Number: IPAL91

Grade: Lab

Lot Number: 5000111/1.1-91

Manufacture Date: 08/03/2023

Expiration Date: 08/02/2025

Country of Origin: United States

Tested Property	Specification	Analysis
Purity	90 - 91.8%	91.08%
Water	10 - 8.2%	8.92%
Acidity as Acetic Acid	0.001%	0.000
Water Miscibility	Miscible	Pass
Nonvolatile Residue, g/100ml	0.001	0.000
Appearance	Clear & Free From Suspended Matter	Passes
Color, Pt-Co	Max 5	5
Density @ 20°C, g/ml	0.873 - 0.884	0.8789

Isopropyl Alcohol (IPA)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley