

Certificate of Analysis

Product: Hydrochloric Acid 31%

Item Number: HCLL31

Grade: Lab

Lot Number: 0003074155

Manufacture Date: 02/10/2023

Expiration Date: 02/09/2025

Country of Origin: United States

Tested Property	Specification	Analysis
Hydrochloric Acid	30.45 - 33.50 %	33.3%
Specific Gravity @ 60°F	Min 1.1602	1.169
Baume, °	Min 20.00	21.0
Color (APHA)	Max 30	10
Appearance	Clear	Pass
Iron	Max 3.0 ppm	0.10
Water	As reported	66.7%

[Hydrochloric Acid 31%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com.

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley