

Certificate of Analysis

Product: Isopropyl Alcohol 70%
Item Number: IPAL70
Grade: Lab
Lot Number: 297857
Manufacture Date: 02/14/2023
Expiration Date: 02/13/2025
Country of Origin: United States

Tested Property	Specification	Analysis
Appearance	Clear colorless liquid	Passes
Color (APHA)	Max 5 (Pt-Co)	<5
Odor	Characteristic	Passes
Specific Gravity @ 20°C	0.872 - 0.883	0.875
Isopropyl alcohol, %V	68 - 72	71
Water (deionized), %V	28 - 32	29
Appearance	Clear colorless liquid	Passes
Color (APHA)	Max 5 (Pt-Co)	<5
Odor	Characteristic	Passes
Specific Gravity @ 20°C	0.873 - 0.884	0.875
Isopropyl alcohol, %V	68 - 72	71
Water (deionized), %V	28 - 32	29

[Isopropyl Alcohol 70%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.