

### Certificate of Analysis

**Product:** Trichloroethylene >99.5%

**Item Number:** TCEA

**Grade:** ACS

**Lot Number:** 230303AP

**Manufacture Date:** 01/18/2023

**Expiration Date:** 01/17/2026

**Country of Origin:** United States

Tested Property	Specification	Analysis
Assay	Min 99.5%	99.9%
Color APHA	10	1
Residue after evaporation	<10 ppm	<1
Titration acid	<0.0001 meq/g	<0.0001
Titration base	< 0.003 meq/g	0.002
Water	<0.02%	0.00038
Heavy metals as Pb	<1 ppm	<1
Free Halogens	None	None
Assay	Min 99.5%	99.9%
Color APHA	10	1
Residue after evaporation	<10 ppm	<1
Titration acid	<0.0001 meq/g	<0.0001
Titration base	< 0.003 meq/g	0.002
Water	<0.02%	0.00038
Heavy metals as Pb	<1 ppm	<1
Free Halogens	None	None

#### Trichloroethylene >99.5%

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com),  
[www.laballey.com](http://www.laballey.com).

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley

assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com),  
[www.laballey.com](http://www.laballey.com).

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.  
© copyright: 2023 Lab Alley