

## **Certificate of Analysis**

**Product: Ascorbic Acid Powder** 

Item Number: ASAPU Grade: USP/FCC

Lot Number: 1211020198 Manufacture Date: 10/17/2021 Expiration Date: 10/16/2024 Country of Origin: China

Tested Property	Specification	Analysis
Assay	99.0%~100.5%	99.9
Characteristics	White or almost white crystalline powder or colorless cr	ystals Pass
Solubility	Soluble in water, slightly soluble in ethanol, insoluble in ch	loroform Pass
Identification A	Positive reaction	Pass
Identification B	IR	Pass
Melting point	About 190°C	190°C
pH (5%, W/V)	2.1~2.6	2.3
Loss on drying	≤0.1%	Pass
Residue on ignition	≤0.1%	<0.1%
Clarity of solution	Clear	Pass
Heavy metal	≤3ppm	<3ppm
Copper	≤5ppm	<5ppm
Iron	≤2ppm	<2ppm
Cadmium (ICP-MS)	≤1ppm	<1ppm
Mercury (ICP-MS)	≤1ppm	<1ppm
Lead (ICP-MS)	≤1ppm	<1ppm
Arsenic (ICP-MS)	≤1ppm	<1ppm
Total Plate Count	≤1000cfu/g	<1000cfu/g
Yeast and Molds	≤100cfu/g	<100cfu/g
Escherichia coli	Negative	Pass

Phone: 512-668-9918, Fax: 512-886-4008, E-mail: Customerservice@laballey.com, www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737, © copyright: 2023 Lab Alley



Salmonella Negative Pass
Staphylococcus Aureus Negative Pass
Residual solvents Meets the requirement Pass
Other Impurities <1.0% Pass

## Ascorbic Acid Powder

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.