

Certificate of Analysis

Product: Isopropyl Alcohol 99.8%
Item Number: IPAU99
Grade: USP
Lot Number: 5000073/1.1
Manufacture Date: 02/13/2023
Expiration Date: 02/12/2026
Country of Origin: United States

Tested Property	Specification	Analysis
Description	Bright and Clear	Pass
Limit of non volatile residue	≤ 2.5 mg	0.2
Water	≤0.5 wt%	0.15
Identification test A (IR)	Pass the test	Pass
Identification test B (GC retention)	Pass the test	Pass
Specific gravity @ 25/25°C	0.783 - 0.787	0.7836
Refractive Index @20°C	1.376 - 1.378	1.37706
Acidity as Acetic Acid, wt%	≤0.70 (ml of 0.02 N NaOH)	0.25
Color, Pt-Co	Max 10	<5
Distillation Range	1°C max, includes 82.3 °C	Pass
Water miscibility	Clear and miscible	Pass
Assay	≥99.0%	99.99%
Residual Solvent	Compliant	Complaint
Individual impurities	Max 0.1%	< 0.1
Total Impurities	Max 1.0 %	< 1.0
Methanol	Max 200 µL/L	<10

[Isopropyl Alcohol 99.8%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley



LAB ALLEY
ESSENTIAL CHEMICALS



assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: Customerservice@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley