



Certificate of Analysis

Product: Magnesium Sulfate Powder Anhydrous 99%

Item Number: C5090

Grade: ACS

Lot Number: 230925-A

Manufacture Date: 01/10/2023

Expiration Date: 01/09/2028

Country of Origin: Mexico

Tested Property	Specification	Analysis
Assay after Ignition	Min 99%	100.2%
Loss on Ignition	Max 5.0%	0.06%
Chloride	Max 0.005%	0.0002%
Nitrate	Max 0.005%	0.0003%
Ammonium	Max 0.005%	0.001%
Calcium	Max 0.04%	0.01%
Heavy Metals (as Pb)	Max 0.001%	0.0003%
Iron	Max 0.002%	0.0002%
Manganese	Max 0.001%	0.0002%
Arsenic	Max 1 ppm	0.2 ppm
Selenium	As reported	None detected
pH	As reported	8.2

[Magnesium Sulfate Powder Anhydrous 99%](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.