

### Certificate of Analysis

**Product: Polyethylene Glycol (PEG) 3350, Granular**  
**Item Number: PEG3350GU**  
**Grade: USP**  
**Lot Number: 5000327/1.1**  
**Manufacture Date: 04/13/2023**  
**Expiration Date: 04/12/2026**  
**Country of Origin: United States**

Tested Property	Specification	Analysis
Assay, %	97.0 - 103.0	99.9
ID A: Infrared	To Pass Test	Pass
ID B: Chromatographic	To Pass Test	Pass
Ethylene Oxide, ppm	1 max	0
1,4-Dioxane, ppm	10 max	0
Formaldehyde, ppm	30 max	0
Sum of Aldehydes, ppm	200 max	83
Polydispersity	1.00 - 1.16	1.04
Hydroxyl value	30 - 38	33
pH of a 5% solution @ 25°C	4.5 - 7.5	6.8
Water, wt%	1.0 max	0.1
Residue on Ignition, %	0.1 max	Pass
Acidity	Less than 0.1mL of 0.1M NaOH	Pass
Viscosity, cSt @ 210°F	76 - 110	96
Appearance	White solid with a waxy appearance	Pass
DEG, ppm	300 max	<21
EG, ppm	300 max	<27

[Polyethylene Glycol \(PEG\) 3350, Granular](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory

Phone: 512-668-9918, Fax: 512-886-4008,  
 E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley



**LAB ALLEY**  
ESSENTIAL CHEMICALS



tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

This document was electronically issued and is therefore valid without a signature.

Phone: 512-668-9918, Fax: 512-886-4008,  
E-mail: [Customerservice@laballey.com](mailto:Customerservice@laballey.com),  
[www.laballey.com](http://www.laballey.com),

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.

© copyright: 2023 Lab Alley